## Controller Medicines

Take the medicine circled below <b>every day</b> even when feeling well.  Take puffs times a day <b>every day</b> .  Take pill(s) <b>every day</b> .			
Flovent	Pulmicort	Singulair	Other Medication
Flovent 44 mcs (fluticasone propional) (fluticasone pr	Pulmicor Respules  122 mg/2 et al.  122 mg/2 et al.  122 mg/2 et al.  123 mg/2 et al.  124 mg/2 et al.  125	SINGULAR SIN	
Flovent 110 (flutiasone propini Inhalation Aerosol Inhalation Aerosol Inhalation Service	ANTIA  ANTIA  ANTIA  Discontinuo del Control C	5 275	
Flovent 220: (fluticasor o proping inhalation: Aeross inhalation: Aero	Pulmicort Respules  Condended for facilitation suggested by the co	10 MRK 117	

Using a spacer is the best way to get medicine into the lungs and avoid side effects.

Please use the spacer circled below with your inhaler.







## Rescue Medicine

Take this only for a cold, wheezing or coughing. Take this medicine every four to six hours. Stop the medicine when the symptoms have been gone for a full day. Call or come in if this medicine is needed more than every 4 hours. Call or come in for trouble breathing.

**Pro-Air** 



**Proventil** 



**Albuterol Vials** 



**Xopenex** 



Using a spacer is the best way to get medicine into the lungs and avoid side **effects.** Please use the spacer, nebulizer face mask or mouthpiece circled below.





